

Deep Sea Leisure plc Risk Assessment

Specific risk assessment. Task: Exhibition Hall

No	Hazard	Who is at risk?	Likelihood	Severity	Risk Rating	Control measures	Further action required?
1	Running	E,P,S	L	M	1	Customers advised not to run, school/group leaders asked to sign agreement sheet at reception	
2	Eating/drinking	E,P,S	L	L	1	No eating/drinking signs throughout aquarium. school/group leaders asked to sign agreement sheet at reception	
3	Water bourne infection	E,P,S	L	L	1	Customers advised to wash hands after handling any animal. Signage advising same	
4	smoking	E,P,S	L	L	1	Smoking bins in car park level, and no smoking signs provided	
5	Slips/trips	E,P,S	L	M	1	Raised areas are painted yellow, ramps have non slip grips, wet floors have signs up advising, walkway has separate risk assessment	
6	animals	E,P,S	L	L	1	Only trained staff to handle, or public under trained staff instruction	
7	Reduced lighting	E,P,S	L	L	1		
8	Doors trapping fingers	E,P,S	L	L	1	Finger guards where possible	

No	Hazard	Who is at risk?	Likelihood	Severity	Risk Rating	Control measures	Further action required?
9	Low hazards e.g. hand rails	E,S,P	L	M	1	Foam pads on all struts	Situation to be monitored
10	Unauthorised areas	E,S,P	L	H	1	All areas require codes or keys to access	

Severity

H = Fatality or major injury causing long term disability.

M = Injury or Illness causing short-term disability.

L = Other injury or illness

Who:

E = employee, S = subcontractor, P = public.

Likelihood

H = Certain or near Certain.

M = Reasonably likely

L = Very seldom or never

Risk Rating

3 = High risk – action required to reduce risk

2 = Medium risk – seek to further reduce risk

1 = Low risk – no action but Reduce if high severity.

Signed: _____ -

Name: Karen Philip - DSW Operations Manager

Last updated 21/08/06

Heather Taylor- Visitor services supervisor